


# DATASHEET



**Name** Table lamp

**Type** Balloons S

**ID** PC856

**Description** Balloons, a collection of elementary and timeless lamps resembling hot air balloons, fascinates the beauty of the bulky, large-volume glass and the floating reflector inside.


**Tech. description** The lamp consists of three main parts: the bottom glass section with power cord; the metal reflector; and the upper glass shade.



## CONSTRUCTION SPECIFICATION

<b>Weight [kg]</b>	4.6 kg
<b>Construction material</b>	glass, metal
<b>Cord length [mm]</b>	1,640 mm
<b>Mounting</b>	Table
<b>Environment</b>	Indoor

## Dimensions [mm]



## ELECTRICAL SPECIFICATION


<b>Input voltage [V]</b>	230 VDC
<b>Frequency [Hz]</b>	50-60 Hz
<b>Max. power [W]</b>	40 W
<b>Coverage IP</b>	20
<b>Socket</b>	E14
<b>Light source</b>	-
<b>Energy class</b>	A+ to E depending on light source

## Certifications



# DATASHEET

## RECOMMENDED BULBS




BROKIS



### SEGULA 50216

<b>Socket</b>	E14
<b>Type</b>	LED filament
<b>Lamp wattage [W]</b>	4.7 W
<b>Input voltage [V]</b>	220-240 VAC
<b>Energy class</b>	A+
<b>Flux[lm]</b>	400 lm
<b>Light colour [K]</b>	2,200 K
<b>CRI</b>	90+
<b>Lifespan [h]</b>	20,000h
<b>Dimmable</b>	yes
<b>Dimensions h x w [mm]</b>	109 x 45 mm


# TECHNICKÝ LIST



BROKIS

<b>Název</b>	Stolní svítidlo
<b>Typ</b>	Balloons S
<b>ID</b>	PC856
<b>Popis</b>	Balloons, kolekce tvarově elementárních a zároveň nadčasových svítidel připomínajících horkovzdušné balóny, fascinuje krásou foukaného skla ve velkém objemu i vznášejícím se reflektorem uvnitř.


**Technický popis** Svítidlo je sestaveno ze tří hlavních částí. Spodního skleněného dílu, kterým prochází přívodní kabel, kovovým reflektorem různých barev a vrchním skleněným dílem, který slouží jako stínítko.



## KONSTRUKČNÍ SPECIFIKACE

<b>Hmotnost [kg]</b>	4.6 kg
<b>Použité materiály</b>	sklo, kov
<b>délka připojovacího vodiče [mm]</b>	1,640 mm
<b>Montáž</b>	Stůl
<b>Prostředí</b>	Vnitřní

## Rozměr [mm]



## ELEKTRICKÁ SPECIFIKACE


<b>Jmenovité napětí [V]</b>	230 VDC
<b>Frekvence [Hz]</b>	50-60 Hz
<b>Max. příkon [W]</b>	40 W
<b>Krytí IP</b>	20
<b>Patice</b>	E14
<b>Světelný zdroj</b>	-
<b>Energetická třída</b>	A+ až E dle použitého zdroje

## Certifikace



# TECHNICKÝ LIST

## DOPORUČENÉ SVĚTELNÉ ZDROJE



BROKIS



### SEGULA 50216

<b>Patice</b>	E14
<b>Typ</b>	LED filament
<b>Příkon [W]</b>	4.7 W
<b>Vstupní napětí [V]</b>	220 - 240 VAC
<b>Energetická třída</b>	A+
<b>Světelný tok [lm]</b>	400 lm
<b>Barevná teplota [K]</b>	2200 K
<b>CRI</b>	90+
<b>Životnost [h]</b>	20000h
<b>Stmívatelnost</b>	ano
<b>Rozměry v x š [mm]</b>	109 x 45 mm