

SOFT EDGE 32

Design by Iskos-Berlin



Made possible by exploring innovative developments in moulded plywood techniques, Iskos-Berlin's Soft Edge series blends strong curves with extreme lightness to create a three-dimensionality that is not normally possible with 2D plywood. All the edges of the ultra-thin, soft-formed seats are bent away from the body, designed to optimise human-centric comfort for constant shifting and movement. The long, solid wooden legs along and the rectangular inner frame create a feeling of seamless symmetry and stability. Its strength and functionality ensure years of everyday use in a wide range of public and private environments – from corporate spaces and cafés to home environments.

PRODUCT DETAILS

- / Part of a family of dining chairs, bar stools and stools with steel frame or solid oak legs.
- / 3-dimensional form based on the latest developments in moulded plywood technique using ordinary plywood.
- / Variability of seat and base colours and finishes.
- / Suitable for a wide variety of private and public environments.
- / Qualified for contract use.

HAY

MATERIAL

SEAT / Moulded plywood seat. Top veneer in oak.

BASE / Solid oak legs.

COLOUR & FINISH

Please note that the colour codes are indicative.

SEAT / BASE Available in 9 different finishes.

- / Black stained oak (RAL 9005)
- / Dusty green stained oak (RAL 6021)
- / Fall red stained oak (NCS S 6030 R)
- / Hunter stained oak (NCS S 8010 B90G)
- / Soft black stained oak (RAL 9004)
- / Soft grey stained oak (NCS S 3500 N)
- / Smoked matt lacquered oiled oak
- / Matt lacquered oak
- / Clear lacquered oak

CONSTRUCTION

SEAT / 2D moulded plywood seat. Inner plywood in beech, top veneer in oak.

BASE / Solid oak legs.


SEAT / BASE COLOUR



DIMENSIONS


LOW

- / WIDTH 37,5 cm / 14.76"
- / DEPTH 37,5 cm / 14.76"
- / HEIGHT 65 cm / 25.59"
- / SEAT HEIGHT 65 cm / 25.59"



HIGH

- / WIDTH 39 cm / 15.35"
- / DEPTH 39 cm / 15.35"
- / HEIGHT 75 cm / 29.53"
- / SEAT HEIGHT 75 cm / 29.53"



GLIDERS

PLASTIC GLIDER (STANDARD ON ALL) / Suitable for most floorings which are not too sensitive.

CARPET GLIDER / For carpets especially those which are loosely tufted because the glider is smoother and with less resistance than standard plastic glider. For firm carpets we recommend the standard glider.

FELT GLIDER STANDARD / For wooden floors. Not for sensitive wooden floors like pine wood or painted floors. Here we recommend felt glider soft.

FELT GLIDER SOFT / For sensitive floors like soft wooden floors and painted floors etc.

TESTS

EN 16139:2013 L2 / for strength, durability and safety according to the requirements for non-domestic seating and loading for extreme use.

DOWNLOADS

2D files, 3D files and packshots are available in our imagebank at hay.dk.

Care- and maintenance instructions and test certificates are available at hay.dk.

HAY